

nice to type

Blow specimen

Blow

Blow Thin

Blow Light

Blow Regular

Blow Medium

Blow Bold

Designer
Yanik Hauschild

Design Support
Gabriel Richter

Fontproduction
Christoph Koeberlin

OpenType Feature Support
Alphabet Type

Release
2019

URL
<https://nicetotype.de/retailtypefaces/blow.html>

Contact
Gabriel Richter
info@nicetotype.de


Specimen Version
1.0

Texts
The following texts are sourced from wikipedia.com.
This file is for evaluation purposes only.

Copyright
©2019 nice to type – Gabriel Richter. All rights reserved.

ABC

A¹A²A³Æ¹Æ³B¹B²B³C¹C²D¹D²E¹E²E³F²F³G¹G²G³H¹H²H³I³J¹J²J³K¹K²K³L¹L²L³M¹M²N¹N²N³Ŋ¹Ŋ²O³Œ¹Œ³P²P³P²P³Q¹Q²R¹R²R³S¹ß²T¹T²T³U¹U²V¹V²V³W¹W²X¹Y¹Y²Z¹Z²a¹a²a³æ¹æ³b¹b²b³c¹c²d¹d²d³e¹e²e³f¹f²f³g¹g²g³h¹h²h³i²i³j²j³k¹k²k³l¹l³m¹m²m³n¹n²ŋ¹ŋ²œ¹œ²œ³p¹p²p³p¹q¹q²q³r¹r²r³s¹s²ß²t¹t²t³u¹u²u³v¹v²v³w¹w²w³x¹x²x³y¹y²y³z¹z²z³O¹1¹1²1³2¹2²3¹3²3³4¹4²4³5¹5²5³6¹6²6³7¹7²7³8¹9¹9²9³!³?¹?²?³&¹&²&³N^{o1}N^{o2}N^{o3}



Blow

OpenType features

Contextual Alternates (calt) – randomizer

Beaufort scale → Beaufort scale

Stylistic Set 01 – Alternates 01 (ss01)

Light breeze → Light breeze

Stylistic Set 02 – Alternates 02 (ss02)

Light breeze → Light breeze

Stylistic Set 03 – Alternates 03 (ss03)

Light breeze → Light breeze

Stylistic Set 04 – Tabular Punctuation (ss04)

(5,6) → (5,6)
(5,6) → (5,6)

Stylistic Set 05 – Thin Arrows (ss05)

↗ NORTHEAST → ↗ NORTHEAST

Standard Tabular Figures and Currencies (tnum)

123456 € → 123456 €
658983 € → 658983 €

Tabular Alternates and Currencies (tnum+calt)

123456 € → 123456 €
658983 € → 658983 €

Case-Sensitive Forms (case)

(FCO-DUS) → (FCO-DUS)

Individual Fractions (frac)

1/12 ℓ → 1/12 ℓ

Superscript (sup) and Scientific Inferiors (sinf)

H2O1abc → H₂O^{1abc}

Slashed Zero (zero)



E020091R → E020091R

Blow

Glyph order

A \tilde{A} $\overset{\smile}{A}$ \hat{A}

All nice to type fonts provide a structured glyph order for a better overview – just choose “CID / GID” instead of “Unicode” in your Glyphs overview.



✓ By CID/GID
By Unicode

InDesign CC example

In addition preglyphs are featured in all nice to type OpenType fonts (.otf and .ttf) to structure our glyph set even more. To save webspace and loading time our webfonts (.WOFF/.WOFF) don't come with preglyphs.

LATN UC	Latin Uppercase Standard
LATN UC ALT01	Latin Uppercase Alternates 01
LATN UC ALT02	Latin Uppercase Alternates 02
LATN UC ALT03	Latin Uppercase Alternates 03
LATN LC	Latin Lowercase Standard
LATN LC ALT01	Latin Lowercase Alternates 01
LATN LC ALT02	Latin Lowercase Alternates 02
LATN LC ALT03	Latin Lowercase Alternates 03
SUPS LC	Superior Lowercase
FIG STD	Figure Standard
FIG STD ALT	Figure Standard Alternates
FIG STD TAB	Figure Standard Tabular
FIG TAB ALT	Figure Tabular Alternates
FIG SINF	Figure Sinferior
FIG DNOM	Figure Denominator
FIG NUMR	Figure Numerator
FIG SUPS	Figure Superscript
FIG FRAC	Figure Fraction
FIG CIRCLE	Figure Circled
SPACE	Space
PUNCT STD	Punctuation Standard
PUNCT TAB	Punctuation Tabular
PUNCT CASE	Punctuation Case
PUNCT ORNM	Punctuation Ornamental
CURR STD	Currency Standard
CURR TAB	Currency Tabular
SYMB MATH	Symbol Mathematics
SYMB STD	Symbol Standard
SYMB GREEK	Symbol Greek
SYMB GEOM	Symbol Geometric
ARRW STD	Arrow Standard
ARRW ALT01	Arrow Alternates 01
DIAC UC	Diacritic Uppercase
DIAC LC	Diacritic Lowercase

The quick br...

80 pt Blow Thin

SEA CONDITIONS

80 pt Blow Light

PRESSURE

80 pt Blow Regular

ENERGY STORAGE

80 pt Blow Medium

CIRCULATION

80 pt Blow Bold

ANEMOMETER

80 pt Blow Thin

SEA CONDitiONS

80 pt Blow Light

PRESSURE

80 pt Blow Regular

ENERGY StORAGE

80 pt Blow Medium

CIRCULAtiON

80 pt Blow Bold

ANEMOMeter

25/30 pt Blow Thin

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land

25/30 pt Massimo Grafia Light

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land

25/30 pt Blow Thin

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land

25/30 pt Massimo Grafia Light

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land

25/30 pt Blow Regular

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land

25/30 pt Blow Medium

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes

25/30 pt Blow Regular

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land

25/30 pt Blow Medium

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes

25/30 pt Blow Bold

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local

25/30 pt Blow Bold

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local

18/23,4 pt Blow Thin

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of

12/15,6 pt Blow Thin

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main causes of large-scale atmospheric

18/23,4 pt Blow Light

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Light

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main causes of large-

18/23,4 pt Blow Thin

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Thin

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main causes of large-scale atmospheric

18/23,4 pt Blow Light

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Light

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main causes of large-

18/23,4 pt Blow Regular

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Regular

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main causes of large-

18/23,4 pt Blow Medium

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Medium

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main

18/23,4 pt Blow Regular

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Regular

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main causes of large-

18/23,4 pt Blow Medium

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting

12/15,6 pt Blow Medium

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between the climate zones on Earth. The two main

18/23,4 pt Blow Bold

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from

12/15,6 pt Blow Bold

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between

18/23,4 pt Blow Bold

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from

12/15,6 pt Blow Bold

In meteorology, winds are often referred to according to their strength, and the direction from which the wind is blowing. Short bursts of high-speed wind are termed gusts. Strong winds of intermediate duration (around one minute) are termed squalls. Long-duration winds have various names associated with their average strength, such as breeze, gale, storm, and hurricane. Wind occurs on a range of scales, from thunderstorm flows lasting tens of minutes, to local breezes generated by heating of land surfaces and lasting a few hours, to global winds resulting from the difference in absorption of solar energy between

nice to type

Blow specimen

