

nice to type

Crack Grotesk Specimen

Crack Grotesk

Crack Grotesk Thin

Crack Grotesk Extra Light

Crack Grotesk Light

Crack Grotesk Regular

Crack Grotesk Medium

Crack Grotesk Bold

Crack Grotesk Black

Crack Grotesk Super

Designer
Gabriel Richter

Fontproduction
Christoph Koeberlin

Release
2018

URL
<https://nicetotype.de/retailtypefaces/crack-grotesk.html>

Contact
Gabriel Richter
info@nicetotype.de

Specimen Version
1.1

Texts
The following texts are sourced from wikipedia.com.
This file is for evaluation purposes only.

Copyright
©2018 nice to type – Gabriel Richter. All rights reserved.

ABC

G → G

Crack Grotesk

OpenType Features

Oldstyle Figures (onum)

123456 → 123456

Tabular Figures and Currencies (tnum)

123456 € → 123456 €

658983 € → 658983 €

123456 € → 123456 €

658983 € → 658983 €

Case-Sensitive Forms (case)

(LO-FI) → (LO-FI)

Individual Fractions (frac)

1/12 ℓ → 1/12 ℓ

Superscript (sup) and Scientific Inferiors (sinf)

H2O1abc → H₂O¹abc

Slashed Zero (zero)

E020091R → E020091R

Localized Form (locl)

Dźwięku → dźwięku

Stylistic Set 01 – Tabular Punctuation (ss01)

(5,6) → (5,6)

(5,6) → (5,6)

Stylistic Set 02 – Alternate C (ss02)

Gain → Gain

Stylistic Set 03 – Double-story a (ss03)

Equalization → Equalization

Stylistic Set 04 – Alternate ß (ss04)

Bergmannstraße → Bergmannstraße

Stylistic Set 05 – Alternate 1 (ss05)

100¹ → 100¹

Stylistic Set 06 – Alternate @ (ss06)

hi@type.de → hi@type.de

Stylistic Set 07 – Alternate Arrows (1) (ss07)

↑ D7 → ↑ D7


Stylistic Set 08 – Alternate Arrows (2) (ss08)

↑ Upload → ^ Upload

LATN
UC

A Á Ä Â

All nice to type fonts provide a structured glyph order for a better overview – just choose “CID / GID” instead of “Unicode” in your Glyphs overview.



InDesign CC example

In addition preglyphs are featured in all nice to type OpenType fonts (.otf and .ttf) to structure our glyph set even more. To save webspace and loading time our webfonts (.WOFF/.WOFF) don't come with preglyphs.

LATN UC	Latin Uppercase
LATN LC	Latin Lowercase
SUPS LC	Superior Lowercase
FIG STD	Figure Standard
FIG OS	Figure Oldstyle
FIG STD TAB	Figure Standard Tabular
FIG OS TAB	Figure Oldstyle Tabular
FIG SINP	Figure Sinferior
FIG DNOM	Figure Denominator
FIG NUMR	Figure Numerator
FIG SUPS	Figure Superscript
FIG FRAC	Figure Fraction
FIG CIRCLE	Figure Circled
SPACE	Space
PUNCT STD	Punctuation Standard
PUNCT TAB	Punctuation Tabular
PUNCT CASE	Punctuation Case
PUNCT ORNM	Punctuation Ornamental
CURR STD	Currency Standard
CURR TAB	Currency Tabular
SYMB MATH	Symbol Mathematics
SYMB STD	Symbol Standard
SYMB GREEK	Symbol Greek
SYMB GEOM	Symbol Geometric
ARRW STD	Arrow Standard
ARRW ALT01	Arrow Alternate O1
ARRW ALT02	Arrow Alternate O2
DIAC UC	Diacritic Uppercase
DIAC LC	Diacritic Lowercase

The quick br...

100 pt Crack Grotesk Thin

INPUT

100 pt Crack Grotesk Extra Light

TRANSISTOR

100 pt Crack Grotesk Light

AUDIO

100 pt Crack Grotesk Regular

VOLTAGE

100 pt Crack Grotesk Medium

NOISE GATE

100 pt Crack Grotesk Bold

HEADROOM

100 pt Crack Grotesk Black

VOICING

100 pt Crack Grotesk Super

OUTPUT

25/30 pt Crack Grotesk Thin

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to

25/30 pt Crack Grotesk Extra Light

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-

25/30 pt Crack Grotesk Light

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-

25/30 pt Crack Grotesk Regular

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound

25/30 pt Crack Grotesk Medium

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound

25/30 pt Crack Grotesk Bold

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an

25/30 pt Crack Grotesk Black

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an

25/30 pt Crack Grotesk Super

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric

18/23,4 pt Crack Grotesk Thin

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven

12/15,6 pt Crack Grotesk Thin

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While overdriven tube amps are still used to obtain overdrive in the 2010s, especially in genres like blues and

18/23,4 pt Crack Grotesk Extra Light

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven

12/15,6 pt Crack Grotesk Extra Light

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While overdriven tube amps are still used to obtain overdrive in the 2010s, especially in genres like blues and

18/23,4 pt Crack Grotesk Light

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an

12/15,6 pt Crack Grotesk Light

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While overdriven tube amps are still used to obtain overdrive in the 2010s, especially in genres like

18/23,4 pt Crack Grotesk Regular

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally

12/15,6 pt Crack Grotesk Regular

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a 'fuzzy', 'growling', or 'gritty' tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While overdriven tube amps are still used to obtain overdrive

18/23,4 pt Crack Grotesk Medium

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric

12/15,6 pt Crack Grotesk Medium

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While overdriven tube amps are still used to obtain

18/23,4 pt Crack Grotesk Bold

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists

12/15,6 pt Crack Grotesk Bold

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While overdriven tube amps are still

18/23,4 pt Crack Grotesk Black

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists

12/15,6 pt Crack Grotesk Black

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which caused the signal to distort. While

18/23,4 pt Crack Grotesk Super

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar,

12/15,6 pt Crack Grotesk Super

Distortion and overdrive are forms of audio signal processing used to alter the sound of amplified electric musical instruments, usually by increasing their gain, producing a ‘fuzzy’, ‘growling’, or ‘gritty’ tone. Distortion is most commonly used with the electric guitar, but may also be used with other electric instruments such as bass guitar, electric piano, and Hammond organ. Guitarists playing electric blues originally obtained an overdriven sound by turning up their vacuum tube-powered guitar amplifiers to high volumes, which

nice to type

Crack Grotesk Specimen

